

Cordless Cable Cutter - Milwaukee 600MCM

Potential Injuries & Hazards


<input checked="" type="checkbox"/>	Pinch points
<input checked="" type="checkbox"/>	Cuts
<input checked="" type="checkbox"/>	Lacerations
<input type="checkbox"/>	Eye injury
<input type="checkbox"/>	Respiratory hazards
<input checked="" type="checkbox"/>	Amputation
<input type="checkbox"/>	Slip, trip or falls
<input type="checkbox"/>	Explosion
<input checked="" type="checkbox"/>	Electric shock
<input type="checkbox"/>	Fire
<input type="checkbox"/>	Other:



Note: This task may expose workers to musculoskeletal injury (MSI) risks. Signs and symptoms include pain, burning, numbness, tingling, swelling, stiffness, and/or loss of movement or strength in a body part. Report these to your supervisor immediately.

This task may only be performed by trained and authorized personnel.

Personal Protective Equipment (PPE) required

										
Safety Glasses	CSA Safety Boots	Hearing Protection	Face Shield	CSA Respirator	Cut Resistant Gloves	Nitrile Gloves	Fire Resistant Gloves	Electrical Gloves	Hard Hat / Bump Cap	Fall Protection
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Inspect your PPE before use. Report any damage to your supervisor immediately. Take care of your PPE: clean, maintain and store it properly.

Education and Training Prerequisites eg. Instructions or other SOP's

Read and Understand M12 CORDLESS 600 MCM CABLE CUTTER Document#11289

Cordless Cable Cutter - Milwaukee 600MCM**General Safety Warnings**

- Inspect Cable Cutter. Check for misalignment or binding of moving parts, breakage of parts and any other condition that may affect the power tool's operation. If damaged bring the tool to your supervisor immediately. Many accidents are caused by poorly maintained power tools.
- Do not operate power tools in explosive atmospheres, such as in the presence of flammable liquids, gases or dust. Power tools create sparks which may ignite the dust or fumes.
- Prevent unintentional starting. Ensure the switch is in the off-position before connecting the battery pack or carrying the tool. Carrying power tools with your finger on the switch invites accidents.
- Keep work area clean and well lit. Cluttered or dark areas invite accidents.
- Keep bystanders away while operating a power tool. Distractions can cause you to lose control.
- Stay alert, watch what you are doing and use common sense when operating a power tool. Do not use a power tool while you are tired or under the influence of drugs, alcohol or medication. A moment of inattention while operating power tools may result in serious personal injury.
- Do not overreach. Keep proper footing and balance at all times. This enables better control of the power tool in unexpected situations.
- Dress properly. Do not wear loose clothing or jewelry. Keep your hair, clothing and gloves away from moving parts. Loose clothes, jewelry or long hair can be caught in moving parts.
- When battery pack is not in use, keep it away from other metal objects like paper clips, coins, keys, nails, screws, or other small metal objects that can make a connection from one terminal to another. Shorting the battery terminals together may cause burns or a fire.
- Under abusive conditions, liquid may be ejected from the battery; avoid contact. If contact accidentally occurs, flush with water. If liquid contacts eyes, additionally seek medical help. Liquid ejected from the battery may cause irritation or burns.



Cordless Cable Cutter - Milwaukee 600MCM


1. Select you speed.
 - Select low speed (1) for harder materials
 - Select high speed (2) for softer materials.



2. Pull the blade release lever to open the jaws.



3. Insert the cable between the lower blade & the upper blade. Ensure the cable is straight & centered in the jaws. Hold the tool firmly & support the work piece.



WARNING!
Blade is sharp.
Keep hands
away from all
cutting edges &
moving parts.
Laceration and
amputation can
occur.

4. Press down on the trigger button and when the cut is complete, release the trigger.



WARNING! To reduce the risk of injury, always move blade to the fully closed position before storing and any time the tool is not in use.



Standard Operating Procedure

Date Created: August 23, 2017

Created by: R. Giancola

Approved by: A. Kawalec

Doc #11290

Rev #01

Pages: 4 of 4

Cordless Cable Cutter - Milwaukee 600MCM

Report to your Supervisor any condition of the operation or tool you consider unsafe.

Reference Material:

Doc#10197 - Tool/Equipment Use and Inspection

Doc#10107 - Safety Policy

Doc#10541 - Workplace Safety and Health

Doc#10210 - Personal Protective Equipment (PPE)

Rev#	Reason for change:	Revised by:	Date:	Re Training Required
00	New SOP	Initial Release	August 21, 2017	N/A