



Safety Data Sheet

Material Name: Duct-Seal 321 Canada

Product No.: 11 oz – 304159
5 gal – 304158
2 gal – 304157
1 gal - 304156

Section 1 - PRODUCT AND COMPANY IDENTIFICATION

Material Name
Duct-Seal 321 Canada

Synonyms
Sealant

Chemical Family
water based mastic

Product Use Recommended Use
duct sealant

Restrictions on Use
For industrial use only.

Details of the supplier of the safety data sheet
Carlisle Canada ULC
205 Brunswick Blvd.
Pointe Claire, QC HR1 A5
Canada
www.carlislehvac.com

Phone Numbers:

MSDS Assistance – 972-442-6545
Technical Assistance – 888-229-2199
Customer Service – 888-229-0199

Section 2 - HAZARDS IDENTIFICATION

Classification in accordance with Schedule 1 of Hazardous Products Regulations (HPR) (SOR/2015-17)

None needed according to classification criteria.

GHS Label Elements

Symbol(s)
None needed according to classification criteria.

Signal Word
None needed according to classification criteria

Hazard Statement(s)
None needed according to classification criteria.

Precautionary Statement(s)

Prevention
None needed according to classification criteria.

Response
None needed according to classification criteria.

Storage
None needed according to classification criteria.

Disposal
Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards
No additional information available.

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent
-----	----------------	---------



Safety Data Sheet

Material Name: Duct-Seal 321 Canada

Product No.: 11 oz – 304159

5 gal – 304158

2 gal – 304157

1 gal - 304156

1317-65-3	Limestone	30-60
67-56-1	Methanol	1-5
14808-60-7	Quartz	0.1-1

Further information

The chemical identity and/or percentage of composition is being withheld as a trade secret.

Section 4 - FIRST AID MEASURES

Description of Necessary Measures

If exposed or concerned: Call a POISON CENTER or doctor/physician.

Inhalation

Remove person to fresh air and keep comfortable for breathing. Get medical attention, if needed.

Skin

Wash exposed skin with soap and water. Remove contaminated clothing and wash it before reuse. If skin irritation occurs, get medical advice/attention.

Eyes

Flush eyes with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.

Ingestion

Do NOT induce vomiting. If swallowed, get medical attention.

Most Important Symptoms/Effects

Acute

No information on significant adverse effects.

Delayed

No information on significant adverse effects.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively.

Section 5 - FIRE FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Use dry chemical, carbon dioxide, alcohol-resistant foam or water spray.

Unsuitable Extinguishing Media

None reported.

Special Hazards Arising from the Chemical

Slight fire hazard. Sealed containers may rupture or explode if exposed to heat.

Hazardous Combustion Products

Oxides of carbon, oxides of nitrogen, hydrocarbons

Advice for firefighters

Wear full protective fire fighting gear including self contained breathing apparatus (SCBA) for protection against possible exposure. Do not inhale any material or combustion by-products.

Fire Fighting Measures

Remove product from area of fire. Stay upwind and keep out of low areas.



Safety Data Sheet

Material Name: Duct-Seal 321 Canada

Product No.: 11 oz – 304159

5 gal – 304158

2 gal – 304157

1 gal - 304156

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Wear personal protective clothing and equipment, see Section 8.

Methods and Materials for Containment and Cleaning Up

Absorb with earth, sand or other non-combustible material and transfer to container. Dike for later disposal. Dispose in accordance with all applicable regulations.

Environmental Precautions

Avoid release to the environment.

Section 7 - HANDLING AND STORAGE

Precautions for Safe Handling

This product contains crystalline silica, which is a known carcinogen: Do not grind or sand. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. KEEP OUT OF REACH OF CHILDREN.

Conditions for Safe Storage, Including any Incompatibilities

None needed according to classification criteria.

Store above 0 C. Store below 45 C. When not in use, keep containers tightly closed. Do not cut, puncture, or weld on or near this container.

Incompatible Materials

strong acids, strong oxidizing agents

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Exposure Limits

Limestone	1317-65-3
Alberta	10 mg/m ³ TWA
British Colombia	10 mg/m ³ TWA total dust ; 3 mg/m ³ TWA respirable fraction
	20 mg/m ³ STEL total
New Brunswick	10 mg/m ³ TWA particulate matter containing no Asbestos and <1% Crystalline silica
Northwest Territories	10 mg/m ³ TWA
	20 mg/m ³ STEL
Nunavut	10 mg/m ³ TWA
	20 mg/m ³ STEL



Safety Data Sheet

Material Name: Duct-Seal 321 Canada

Product No.: 11 oz – 304159
5 gal – 304158
2 gal – 304157
1 gal - 304156

Quebec	10 mg/m3 TWAEV (Limestone, containing no Asbestos and <1% Crystalline silica) total dust
Saskatchewan	10 mg/m3 TWA
	20 mg/m3 STEL
Yukon	30 mppcf TWA ; 10 mg/m3 TWA
	20 mg/m3 STEL
Methanol	67-56-1
Alberta	200 ppm TWA ; 262 mg/m3 TWA
	250 ppm STEL ; 328 mg/m3 STEL
	Substance may be readily absorbed through intact skin
British Colombia	200 ppm TWA
	Skin notation
	250 ppm STEL
Manitoba	200 ppm TWA
	Skin - potential for cutaneous absorption
	Skin - potential significant contribution to overall exposure by the cutaneous route
New Brunswick	200 ppm TWA ; 262 mg/m3 TWA
	250 ppm STEL ; 328 mg/m3 STEL
	Skin - potential for cutaneous absorption
Northwest Territories	200 ppm TWA
	250 ppm STEL
	Skin notation
Nova Scotia	200 ppm TWA
	250 ppm STEL

Safety Data Sheet

Material Name: Duct-Seal 321 Canada

Product No.: 11 oz – 304159

5 gal – 304158

2 gal – 304157

1 gal - 304156

	Skin - potential significant contribution to overall exposure by the cutaneous route
Nunavut	200 ppm TWA
	250 ppm STEL
	Skin notation
Ontario	200 ppm TWA
	250 ppm STEL
	Danger of cutaneous absorption
Prince Edward Island	200 ppm TWA
	250 ppm STEL
Quebec	200 ppm TWAEV ; 262 mg/m ³ TWAEV
	250 ppm STEV ; 328 mg/m ³ STEV
	Skin designation
Saskatchewan	200 ppm TWA
	250 ppm STEL
	Potentially harmful after absorption through skin or mucous membranes
Yukon	200 ppm TWA ; 260 mg/m ³ TWA
	250 ppm STEL ; 310 mg/m ³ STEL
	Skin notation
ACGIH:	200 ppm TWA
	250 ppm STEL
	Skin - potential significant contribution to overall exposure by the cutaneous route
Quartz	14808-60-7
Alberta	0.025 mg/m ³ TWA respirable particulate
British Colombia	0.025 mg/m ³ TWA respirable



Safety Data Sheet

Material Name: Duct-Seal 321 Canada

Product No.: 11 oz – 304159
5 gal – 304158
2 gal – 304157
1 gal - 304156

Manitoba	0.025 mg/m3 TWA respirable particulate matter
New Brunswick	0.1 mg/m3 TWA respirable fraction
Northwest Territories	0.05 mg/m3 TWA respirable fraction
Nova Scotia	0.025 mg/m3 TWA respirable particulate matter
Nunavut	0.05 mg/m3 TWA respirable fraction
Ontario	0.1 mg/m3 TWA (designated substances regulation) respirable
Prince Edward Island	0.025 mg/m3 TWA respirable particulate matter
Quebec	0.1 mg/m3 TWAEV respirable dust
Saskatchewan	0.05 mg/m3 TWA respirable fraction
Yukon	300 particle/mL TWA
ACGIH:	0.025 mg/m3 TWA respirable particulate matter

ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)

Methanol (67-56-1)

15 mg/l Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific)

Engineering Controls

Provide adequate ventilation. Ensure compliance with applicable exposure limits.

Individual Protection Measures, such as Personal Protective Equipment

Eye/face protection

Wear splash resistant safety goggles with a faceshield. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

Skin Protection

Wear appropriate work clothing.

Respiratory Protection

Selection and use of respiratory protective equipment should be in accordance in the USA with OSHA General Industry Standard 29 CFR 1910.134; or in Canada with CSA Standard Z94.4.

Glove Recommendations

Wear protective gloves.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance	thick, gray paste	Physical State	solid
Odor	Slight ,ammonia	Color	gray

Safety Data Sheet

Material Name: Duct-Seal 321 Canada

Product No.: 11 oz – 304159

5 gal – 304158

2 gal – 304157

1 gal - 304156

Odor Threshold	Not available	pH	8.4 - 9.5
Melting Point	Not available	Boiling Point	212 °F
Boiling Point Range	Not available	Freezing point	Not available
Evaporation Rate	28 - 32 % volatile	Flammability (solid, gas)	Not available
Autoignition Temperature	Not available	Flash Point	Not available
Lower Explosive Limit	Not available	Decomposition temperature	Not available
Upper Explosive Limit	Not available	Vapor Pressure	17 mmHg (@ 20 °C)
Vapor Density (air=1)	<1	Specific Gravity (water=1)	Not available
Water Solubility	Soluble	Partition coefficient: n-octanol/water	Not available
Viscosity	>300 Kcps (@ 77 °F)	Kinematic viscosity	Not available
Solubility (Other)	Not available	Density	1.34 - 1.41 (relative)
VOC	92 g/L (SCAQMD calculation method)	Molecular Weight	Not available

Other Information

No additional information available.

Section 10 - STABILITY AND REACTIVITY

Reactivity

No reactivity hazard is expected.

Chemical Stability

Stable under normal conditions of use.

Possibility of Hazardous Reactions

Hazardous polymerization will not occur.

Conditions to Avoid

Avoid heat, flames, sparks and other sources of ignition. Avoid contact with incompatible materials.

Incompatible Materials

strong acids, strong oxidizing agents

Hazardous decomposition products

Oxides of carbon, oxides of nitrogen, hydrocarbons



Safety Data Sheet

Material Name: Duct-Seal 321 Canada

Product No.: 11 oz – 304159
5 gal – 304158
2 gal – 304157
1 gal - 304156

Section 11 - TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Inhalation

No information on significant adverse effects.

Skin Contact

No information on significant adverse effects.

Eye Contact

May cause mild eye irritation.

Ingestion

No information on significant adverse effects.

Acute and Chronic Toxicity

Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and the following selected endpoints are published:

Limestone (1317-65-3)

Oral LD50 Rat 6450 mg/kg

Methanol (67-56-1)

Oral LD50 Rat 6200 mg/kg

Dermal LD50 Rabbit 15840 mg/kg

Inhalation LC50 Rat 22500 ppm 8 h

Product Toxicity Data

Acute Toxicity Estimate

Dermal	> 2000 mg/kg
Inhalation - Dust and Mist	> 5 mg/L
Oral	> 2000 mg/kg

Immediate Effects

No information on significant adverse effects.

Delayed Effects

No information on significant adverse effects.

Irritation/Corrosivity Data

May cause mild eye irritation.

Respiratory Sensitization

no information on significant adverse effects.

Dermal Sensitization

No information on significant adverse effects.

Component Carcinogenicity

Quartz	14808-60-7
ACGIH:	A2 - Suspected Human Carcinogen
IARC:	Monograph 100C [2012] ; Monograph 68 [1997] (Group 1 (carcinogenic to humans))



Safety Data Sheet

Material Name: Duct-Seal 321 Canada

Product No.: 11 oz – 304159
5 gal – 304158
2 gal – 304157
1 gal - 304156

NTP:	Known Human Carcinogen
DFG:	Category 1 (causes cancer in man ;inhalable fraction)
OSHA:	Present
NIOSH:	potential occupational carcinogen

Germ Cell Mutagenicity

No information on significant adverse effects.

Tumorigenic Data

No information on significant adverse effects.

Reproductive Toxicity

No information on significant adverse effects.

Specific Target Organ Toxicity - Single Exposure

No significant target effects reported.

Specific Target Organ Toxicity - Repeated Exposure

No significant target effects reported.

Aspiration hazard

No data available.

Medical Conditions Aggravated by Exposure

No data available.

Section 12 - ECOLOGICAL INFORMATION

Component Analysis - Aquatic Toxicity

Limestone	1317-65-3
Fish:	LC50 hr fish >200 mg/L
Methanol	67-56-1
Fish:	LC50 96 h Pimephales promelas 28200 mg/L [flow-through]; LC50 96 h Pimephales promelas >100 mg/L [static]; LC50 96 h Oncorhynchus mykiss 19500 - 20700 mg/L [flow-through]; LC50 96 h Oncorhynchus mykiss 18 - 20 mL/L [static]; LC50 96 h Lepomis macrochirus 13500 - 17600 mg/L [flow-through]

Persistence and Degradability

No information available for the product.

Bioaccumulative Potential

No information available for the product.

Mobility

No information available for the product.

Other Toxicity

No additional information available.

Section 13 - DISPOSAL CONSIDERATIONS



Safety Data Sheet

Material Name: Duct-Seal 321 Canada

Product No.: 11 oz – 304159
5 gal – 304158
2 gal – 304157
1 gal - 304156

Disposal Methods

Dispose of contents/container in accordance with local/regional/national/international regulations.

Section 14 - TRANSPORT INFORMATION

US DOT Information:

UN/NA #: Not regulated

IATA Information:

UN#: Not regulated

TDG Information:

UN#: Not regulated

IMDG Information:

UN#: Not regulated

International Bulk Chemical Code

This material contains one or more of the following chemicals required by the IBC Code to be identified as dangerous chemicals in bulk.

Methanol	67-56-1
IBC Code:	Category Y

Section 15 - REGULATORY INFORMATION

Canada Regulations

CEPA - Priority Substances List

None of this product's components are on the list.

Ozone Depleting Substances

None of this product's components are on the list.

Council of Ministers of the Environment - Soil Quality Guidelines

Methanol	67-56-1
Residential and Parkland	4.6 mg/kg coarse (dry weight, human health soil quality guideline); 7.7 mg/kg coarse (dry weight, environmental soil quality guideline); 4.6 mg/kg coarse (dry weight, soil quality guideline - lower of the human health soil quality guideline and the environmental soil quality guideline is the soil quality guideline); 5.6 mg/kg fine (dry weight, human health soil quality guideline); 190 mg/kg fine (dry weight, environmental soil quality guideline); 5.6 mg/kg fine (dry weight, soil quality guideline - lower of the human health soil quality guideline and the environmental soil quality guideline is the soil quality guideline)

Council of Ministers of the Environment - Water Quality Guidelines

None of this product's components are on the list.

U.S. Federal Regulations



Safety Data Sheet

Material Name: Duct-Seal 321 Canada

Product No.: 11 oz – 304159
5 gal – 304158
2 gal – 304157
1 gal - 304156

This material contains one or more of the following chemicals required to be identified under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), and/or require an OSHA process safety plan.

Methanol	67-56-1
SARA 313:	1 % de minimis concentration
CERCLA:	5000 lb final RQ ; 2270 kg final RQ

SARA Section 311/312 (40 CFR 370 Subparts B and C) 2016 reporting categories

Acute Health: Yes Chronic Health: Yes Fire: No Pressure: No Reactivity: No

Component Analysis - Inventory

Limestone (1317-65-3)

US	CA	AU	CN	EU	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2
Yes	NSL	Yes	Yes	EIN	Yes	Yes	Yes	No

KR - REACH CCA	MX	NZ	PH	TH-TECI	TW	VN (Draft)
No	Yes	Yes	Yes	Yes	Yes	Yes

Methanol (67-56-1)

US	CA	AU	CN	EU	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2
Yes	DSL	Yes	Yes	EIN	Yes	Yes	Yes	No

KR - REACH CCA	MX	NZ	PH	TH-TECI	TW	VN (Draft)
Yes	Yes	Yes	Yes	Yes	Yes	Yes

Quartz (14808-60-7)

US	CA	AU	CN	EU	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2
Yes	DSL	Yes	Yes	EIN	Yes	Yes	Yes	No

KR - REACH CCA	MX	NZ	PH	TH-TECI	TW	VN (Draft)
No	Yes	Yes	Yes	Yes	Yes	Yes

Section 16 - OTHER INFORMATION



Safety Data Sheet

Material Name: Duct-Seal 321 Canada

Product No.: 11 oz – 304159

5 gal – 304158

2 gal – 304157

1 gal - 304156

NFPA Ratings

Health: 1 Fire: 0 Instability: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Issue Date

1/14/2019

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA - California/Massachusetts/Minnesota/New Jersey/Pennsylvania*; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CFR - Code of Federal Regulations (US); CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EC - European Commission; EEC - European Economic Community; EIN - European Inventory of (Existing Commercial Chemical Substances); EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; F - Background (for Venezuela Biological Exposure Indices); IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; IUCLID - International Uniform Chemical Information Database; JP - Japan; Kow - Octanol/water partition coefficient; KR KECI Annex 1 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL); KR KECI Annex 2 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL) , KR - Korea; LD50/LC50 - Lethal Dose/ Lethal Concentration; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; MX - Mexico; Ne- Non-specific; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; Nq - Non-quantitative; NSL - Non-Domestic Substance List (Canada); NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PEL- Permissible Exposure Limit; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH- Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; Sc - Semi-quantitative; STEL - Short-term Exposure Limit; TCCA - Korea Toxic Chemicals Control Act; TDG - Transportation of Dangerous Goods; TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act; TW - Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; VLE - Exposure Limit Value (Mexico); VN (Draft) - Vietnam (Draft); WHMIS - Workplace Hazardous Materials Information System (Canada).

Other Information

Disclaimer:

The information contained herein is based upon data and information available to us, and reflects our best professional judgment. This product may be formulated in part with components purchased from other companies. In many instances, especially when proprietary or trade secret materials are used, CCWI Company must rely upon the hazard evaluation of such components submitted by that product's manufacturer or importer. No warranty of merchantability, fitness for any use, or any other warranty is expressed or implied regarding the accuracy of such data or information. The results to be obtained from the use thereof, or that any such use does not infringe any patent, since the information contained herein may be applied under conditions of use beyond our control and with which we may be unfamiliar, we do not assume responsibility for the results of such application. This information is



Safety Data Sheet

Material Name: Duct-Seal 321 Canada

Product No.: 11 oz – 304159

5 gal – 304158

2 gal – 304157

1 gal - 304156

furnished upon the condition that the person receiving it shall make his own determination of the suitability of the material for his particular use.